Forestland Interpretations

Forestland interpretations are important to good management. The management of trees begins with an understanding of the soil where they grow or are to be grown. Some soils are very suitable for growing wood crops; others barely support tree cover. Different tree species may vary in production on the same soil.

Forestland interpretations should be used to assist land users in planning, installing, and maintaining forestland management systems.

Forest Management and Productivity

The Forestland Management and Productivity tables presents information about suitable for producing timber for each soil map unit. Management concerns, which include hand planting, mechanical planting, use of harvesting equipment, mechanical site preparation (surface), roads (natural surface), erosion on roads and trails, off-road/trail erosion, soil rutting, log landings, seedling survival, are listed by ratings of:

- Not Limited (0.00)
- Slightly Limited (0.01 to 0.30)
- Moderately Limited (0.31 to 0.60)
- Limited (0.61 to 0.99)
- Very Limited (1.00)

Information on potential productivity includes plant competition, common trees, site index, productivity class, and trees to plant.

Management Concerns

PLANT COMPETITION - A rating of slight indicates little or no competition from other plants; moderate indicates that plant competition is expected to hinder the development of the fully stocked stand of desirable trees; and severe means that plant competition is expected to prevent the establishment of a desirable stand unless the site is intensively prepared, weeded, or otherwise managed for the control of undesirable plants.

POTENTIAL PRODUCTIVITY - This is discussed under the ordination class symbol.

COMMON TREES - Trees that generally occur on the soil are listed regardless of economic importance.

SITE INDEX AND PRODUCTIVITY CLASS - These are discussed under ordination class symbol.

TREES TO PLANT - Trees that are suitable for commercial wood production and that are adapted to the soil.

HAND PLANTING – ratings are based on slope, depth to a restrictive layer, content of sand, plasticity index, rock fragments on or below the surface, a water table, and ponding. Ratings indicate the expected difficulty of hand planting, which includes the proper placement of root systems of tree seedlings to a depth of up to 12 inches, using standard hand planting tools. It is assumed that necessary site preparation is completed before seedlings are planted.

MECHANICAL PLANTING – ratings are based on slope, depth to a restrictive layer, content of sand, plasticity index, rock fragments on or below the surface, a water table, and ponding. Ratings indicate the expected difficulty using a mechanical planter, which includes proper placement of root systems of tree seedlings to a depth up to 12 inches. It is assumed that necessary site preparation is completed before seedlings are planted.

USE OF HARVEST EQUIPMENT – ratings are based on slope, rock fragments on the surface, plasticity index, content of sand, surface texture, a water table, and ponding. Ratings indicate the suitability for operating harvest equipment for off –road transport or harvest of logs and/or wood products by ground-based wheeled or tracked equipment.

MECHANICAL SITE PREPARATION (SURFACE) – ratings are based on slope, depth to a restrictive layer, plasticity index, rock fragments on or below the surface, a water table, and ponding. The part of the soil from the surface to a depth of about 12 inches is considered in the ratings. Ratings indicate the suitability of using surface-altering soil tillage equipment to prepare the site for planting or seeding.

ROADS (NATURAL SURFACE) – ratings are based on slope, rock fragments on the surface, plasticity index, content of sand, surface texture, a water table, ponding, flooding, and the hazard of soil slippage. The ratings indicate the suitability for using the natural surface of the soil for roads on which trucks transport logs and other wood products from the site.

EROSION (**ROAD/TRAIL**) – ratings are based on the soil erodibility factor K, slope, and content of rock fragments. The ratings apply to unsurfaced roads and trails.

EROSION (OFF-ROAD/OFF-TRAIL) – ratings are based on slope and on soil erodibility factor K. The soil loss is caused by sheet or rill erosion in off-road or off-trail areas where 50 to 75 percent of the surface has been exposed by logging, grazing, mining, or other kinds of disturbance.

SOIL RUTTING – ratings are based on a water table, rock fragments on or below the surface, surface texture, depth to a restrictive layer, and slope. Ratings indicate the hazard or risk of ruts in the uppermost soil surface layers by operation of forest equipment. Soil displacement and puddling (soil deformation and compaction) may occur simultaneously with rutting.

LOG LANDINGS – ratings are based on slope, rock fragments on the surface, plasticity index, content of sand, surface texture, a water table, ponding, flooding, and the hazard of soil slippage. Ratings indicate the suitability of the soil at the forest site to serve as a log landing and allows the efficient and effective use of equipment for the temporary storage and handling of logs.

SEEDLING SURVIVAL – ratings are based on flooding, ponding, a water table, content of lime, reaction, salinity, available water capacity, soil moisture regime, soil temperature regime, aspect, and slope. Ratings indicate the impact of soil, physiographic, and climatic conditions on the survivability of newly established tree seedlings.

See the National Forestry Manual, Subpart B for criteria used in rating management concerns.

This subsection includes:

• (a) Forest Management (one or two tables)

10/01/2001 PAGE - 1 OF 7
Forest Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Erosion on roads and	trails	Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value 	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Valu
BaB: Barco	 - Moderately limited ~slope/erodibility (moderately limited)	0.44	 Slightly limited ~slope/erodibility (slightly limited)	0.08	 Limited -low strength (limited)	0.80	 Moderately limited ~low strength (moderately limited)	 0.50	 Not limited 	
Bac: Barco	 Limited ~slope/erodibility (limited)	 0.78 	 Slightly limited ~slope/erodibility (slightly limited) 	0.14	 Limited ~low strength (limited) 	0.80	 Moderately limited ~low strength (moderately limited) ~slope (slightly limited)	 0.50 0.15	 Not limited 	
Bk: Blackoar	 Slightly limited ~slope/erodibility (slightly limited)	 0.11 	 Slightly limited -slope/erodibility (slightly limited) 	0.02	 Limited -seasonal wetness (limited) -low strength (limited)		Limited -seasonal wetness (limited) -flooding (moderately limited) -low strength (moderately limited)	0.50	 Limited ~seasonal wetness (limited) ~flooding (moderately limited)	 0.91 0.60
BoC2: Bolivar	 - Limited ~slope/erodibility (limited)	 0.78 	 Slightly limited ~slope/erodibility (slightly limited)	0.14	 Limited ~low strength (limited)	0.80	 Moderately limited ~low strength (moderately limited) ~slope (slightly limited)	0.50	 Not limited 	
BoD2: Bolivar	 Very limited ~slope/erodibility (very limited)	 1.00	 Slightly limited ~slope/erodibility (slightly limited)	0.24	 Moderately limited ~low strength (moderately limited)		 Limited ~slope (limited)	 0.76	 Not limited 	
Br: Bremer	 Slightly limited ~slope/erodibility (slightly limited)	 0.11 	 Slightly limited -slope/erodibility (slightly limited)	0.02	 Limited -low strength (limited) -seasonal wetness (slightly limited)	0.80	 Limited -stickiness (surface) (limited) -low strength (moderately limited)	0.50	 Not limited 	

Map symbol and soil name	Erosion on roads and	trails	Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
								0.29		
DpB: Deepwater	 - Moderately limited ~slope/erodibility (moderately limited)		 Slightly limited ~slope/erodibility (slightly limited)	0.08	 Limited ~low strength (limited)	0.80	 Moderately limited ~low strength (moderately limited)	 0.50	 Not limited 	
DpC2: Deepwater	Limited -slope/erodibility (limited)	0.78	 Slightly limited ~slope/erodibility (slightly limited)	0.14	 Limited ~low strength (limited)	0.80	 Moderately limited ~low strength (moderately limited) ~slope (slightly limited)	 0.50 0.15	 Not limited 	
Dt: Dockery	 Slightly limited ~slope/erodibility (slightly limited)	0.11	 Slightly limited ~slope/erodibility (slightly limited) 	0.02	 Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80	 Very limited -flooding (very limited) -low strength (moderately limited) -seasonal wetness (slightly limited)	 1.00 0.50 0.20	 Limited ~flooding (limited) 	0.90
Fs: Freeburg	 - Slightly limited ~slope/erodibility (slightly limited)	0.11	 Slightly limited ~slope/erodibility (slightly limited)	0.02	 Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80	 Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	 0.50 0.25	 Not limited 	
GoC2: Gorin	Limited -slope/erodibility (limited)	 0.78 	 Slightly limited ~slope/erodibility (slightly limited)	0.17	 Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80	Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited) ~slope (slightly limited)	 0.50 0.20 0.15	 Not limited 	
Hg: Haig	 Slightly limited ~slope/erodibility (slightly limited)	0.11	 Slightly limited ~slope/erodibility (slightly limited)	0.02	 Limited ~low strength (limited)	0.80	 Moderately limited ~low strength (moderately limited)	 0.50 	 Not limited 	

10/01/2001 PAGE - 3 OF 7

Map symbol and soil name	 Erosion on roads and ' 	Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival		
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
					-seasonal wetness (slightly limited) 	0.29	-stickiness (surface) (moderately limited) -seasonal wetness (slightly limited)	0.50		
Hp: Haplaquents	 Slightly limited ~slope/erodibility (slightly limited)	 0.06	 Slightly limited ~slope/erodibility (slightly limited)	0.02	 Not limited 	 	 Not limited 	 	 Not limited 	
Urban land	 Not rated 	 	 Not rated 		 Not rated 		 Not rated 	 	 Not rated 	
HtA: Hartwell	 Slightly limited ~slope/erodibility (slightly limited) 	 0.11 	 Slightly limited -slope/erodibility (slightly limited) 	0.02	 Limited ~low strength (limited) ~seasonal wetness (moderately limited)	0.80	 Moderately limited -seasonal wetness (moderately limited) -low strength (moderately limited)	 0.60 0.50	 Moderately limited -seasonal wetness (moderately limited) 	0.60
HtB2: Hartwell	 Moderately limited ~slope/erodibility (moderately limited) 	 0.44 	 Slightly limited ~slope/erodibility (slightly limited)	0.10	 Limited ~low strength (limited) ~seasonal wetness (moderately limited)	 0.80 0.60	Moderately limited ~seasonal wetness (moderately limited) ~low strength (moderately limited)	 0.60 0.50	 Moderately limited ~seasonal wetness (moderately limited) 	 0.60
HxC: Higginsville	 Limited ~slope/erodibility (limited)	 0.67 	 Slightly limited ~slope/erodibility (slightly limited)	0.15	 Limited ~low strength (limited) ~seasonal wetness (slightly limited)	 0.80 0.15	Moderately limited -low strength (moderately limited) -seasonal wetness (slightly limited)	 0.50 0.15	 Not limited -	
Ka: Kanima	 Very limited ~slope/erodibility (very limited)	 1.00	 Limited ~slope/erodibility (limited)	0.88	 Not limited 	 	 Very limited ~slope (very limited)	 1.00	 Moderately limited ~droughty (moderately limited)	0.41
	 Slightly limited	İ	 Slightly limited		 Limited	İ	 Moderately limited	į Į	 Moderately limited	
loam	 ~slope/erodibility (slightly limited)	 0.11 	 ~slope/erodibility (slightly limited)	0.02	 ~low strength (limited)	 0.80 	 ~seasonal wetness (moderately limited)	 0.60 	 ~flooding (moderately limited)	0.60

10/01/2001 PAGE - 4 OF 7 Forest Management--Continued

Map symbol and soil name	 Erosion on roads and 	Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival		
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
					 ~seasonal wetness (moderately limited) 	 0.60 	-flooding (moderately limited) -low strength (moderately limited)	0.50	 ~seasonal wetness (moderately limited) 	0.60
MaB: Macksburg	 Moderately limited ~slope/erodibility (moderately limited)	0.33	 Slightly limited ~slope/erodibility (slightly limited)	0.06	 Limited ~low strength (limited)	 0.80	 Moderately limited ~low strength (moderately limited)	 0.50	 Not limited 	
MdB: Mandeville	 Moderately limited ~slope/erodibility (moderately limited)	0.44	 Slightly limited ~slope/erodibility (slightly limited)	0.10	 Limited ~low strength (limited) ~seasonal wetness (slightly limited)	 0.80 0.10	 Moderately limited ~low strength (moderately limited) ~seasonal wetness (slightly limited)	 0.50 0.10	 Not limited 	
MdC: Mandeville	 Limited ~slope/erodibility (limited)	 0.78 	 Slightly limited ~slope/erodibility (slightly limited)	 0.17 	 Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80	 Moderately limited ~low strength (moderately limited) ~slope (slightly limited) ~seasonal wetness (slightly limited)	0.50	 Not limited 	
Nd: Nodaway	 Slightly limited ~slope/erodibility (slightly limited)	0.11	 Slightly limited ~slope/erodibility (slightly limited)	0.02	Limited -low strength (limited)	0.80	 Moderately limited -flooding (moderately limited) -low strength (moderately limited)	0.50	 Moderately limited -flooding (moderately limited)	0.60
NoD: Norris	 Very limited ~slope/erodibility (very limited)	1.00	 Slightly limited ~slope/erodibility (slightly limited)	0.20	 Not limited 	 	 Moderately limited ~slope (moderately limited)	 0.60	 Not limited 	
NoF: Norris	 Very limited ~slope/erodibility (very limited)	1.00	 Moderately limited ~slope/erodibility (moderately limited)	0.43	 Not limited 	 	 Very limited ~slope (very limited)	1.00	 Moderately limited ~droughty (moderately limited)	0.39

Map symbol and soil name	Erosion on roads and	trails	Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value 	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pd: Pits	 Not rated 	 	 Not rated 	 	 Not rated 	 	 Not rated 	 	 Not rated 	
PoB: Polo	 Moderately limited ~slope/erodibility (moderately limited)	 0.44	 Slightly limited ~slope/erodibility (slightly limited)	0.08	 Limited ~low strength (limited)	0.80	 Moderately limited -low strength (moderately limited)	 0.50	 Not limited 	
PoC2: Polo	Limited ~slope/erodibility (limited)	 0.78 	 Slightly limited ~slope/erodibility (slightly limited)	0.14	 Limited ~low strength (limited)	0.80	 Moderately limited ~low strength (moderately limited) ~slope (slightly limited)	0.50	 Not limited 	
SaB: Sampsel	 Moderately limited ~slope/erodibility (moderately limited)		 Slightly limited -slope/erodibility (slightly limited) 	0.10	 Limited ~low strength (limited) ~seasonal wetness (limited) 	0.80	 Limited ~seasonal wetness (limited) ~low strength (moderately limited) ~stickiness (surface) (moderately limited)	0.50	 Limited ~seasonal wetness (limited) 	0.76
SaC: Sampsel	 Limited ~slope/erodibility (limited)	 0.78 	 Slightly limited ~slope/erodibility (slightly limited)	0.17	 Limited ~low strength (limited) ~seasonal wetness (limited)	0.80	 Limited ~seasonal wetness (limited) ~low strength (moderately limited) ~stickiness (surface) (moderately limited)	0.50	 Limited ~seasonal wetness (limited)	0.76
SaC3: Sampsel	 Limited ~slope/erodibility (limited)	 0.78 	 Slightly limited ~slope/erodibility (slightly limited) 	0.17	 Limited -low strength (limited) ~seasonal wetness (limited)	0.80	 Limited -seasonal wetness (limited) -low strength (moderately limited) -stickiness (surface) (moderately limited)	0.50	 Limited ~seasonal wetness (limited) 	0.76

Map symbol and soil name	Erosion on roads and	Off-road or off-trail erosion		Soil rutting		Log landings		Seedling survival		
	Rating class and	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ShB: Sharpsburg	 Moderately limited ~slope/erodibility (moderately limited)		 Slightly limited ~slope/erodibility (slightly limited)	0.08	 Limited ~low strength (limited)	0.80	 Moderately limited -low strength (moderately limited)	 0.50	 Not limited 	
SnD2: Snead	 Very limited ~slope/erodibility (very limited)	1.00	 Slightly limited -slope/erodibility (slightly limited)	0.24	 Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80	 Limited -slope (limited) -low strength (moderately limited) -stickiness (surface) (moderately limited)	0.76	 Not limited 	
SoD: Snead	 Very limited ~slope/erodibility (very limited)	1.00	 Slightly limited ~slope/erodibility (slightly limited)	0.20	 Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80	 Moderately limited ~slope (moderately limited) ~low strength (moderately limited) ~stickiness (surface) (moderately limited)	0.60	 Not limited 	
Rock outcrop	 Not rated 		 Not rated 		 Not rated 		 Not rated 		 Not rated 	
SoF: Snead	 Very limited ~slope/erodibility (very limited)	 1.00 	 Moderately limited ~slope/erodibility (moderately limited) 		 Limited ~low strength (limited) ~seasonal wetness (slightly limited)	0.80	 Very limited ~slope (very limited) ~low strength (moderately limited) ~stickiness (surface) (moderately limited)		 Not limited 	
Rock outcrop	 Not rated 		 Not rated 		 Not rated		 Not rated 		 Not rated	
W: Water	 Not rated	 	 Not rated 		 Not rated 		 Not rated 	 	 Not rated 	
Wa: Wabash	 Slightly limited		 Slightly limited		 Limited		 Very limited		 Limited	

Map symbol and soil name	Erosion on roads and	trails	Off-road or off-tra erosion	il	Soil rutting		Log landings		Seedling survival	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value 	Rating class and limiting features	Value
	-slope/erodibility (slightly limited)	0.11	~slope/erodibility (slightly limited)	0.02	-seasonal wetness (limited) -low strength (limited)	0.81	-flooding (very limited) -seasonal wetness (limited) -stickiness (surface) (limited)	 0.81 	 ~flooding (limited) ~seasonal wetness (limited)	0.90
WdB: Weller	 Moderately limited ~slope/erodibility (moderately limited)	0.44	 Slightly limited ~slope/erodibility (slightly limited)	0.10	 Limited ~low strength (limited)	0.80	 Moderately limited ~low strength (moderately limited)	 0.50	 Not limited 	
WfB: Winfield	 Moderately limited ~slope/erodibility (moderately limited)		 Slightly limited ~slope/erodibility (slightly limited)	0.10	 Limited ~low strength (limited)	0.80	 Moderately limited ~low strength (moderately limited)	 0.50	 Not limited 	
WfC: Winfield	 Limited ~slope/erodibility (limited)		Slightly limited ~slope/erodibility (slightly limited)	 0.15	 Limited ~low strength (limited)	0.80	 Moderately limited ~low strength (moderately limited)	 0.50	 Not limited 	
WfC3: Winfield	 Limited ~slope/erodibility (limited)	0.67	Slightly limited ~slope/erodibility (slightly limited)	 0.15 	 Limited ~low strength (limited)	0.80	 Moderately limited ~stickiness (surface) (moderately limited) ~low strength (moderately limited)	 0.50 0.50	 Not limited 	
Zk: Zook	 Slightly limited ~slope/erodibility (slightly limited) 	 0.11 	Slightly limited -slope/erodibility (slightly limited)	0.02	 Limited ~seasonal wetness (limited) ~low strength (limited)	0.91	 Very limited ~flooding (very limited) ~seasonal wetness (limited) ~stickiness (surface) (moderately limited)	 0.91 	 Limited ~seasonal wetness (limited) ~flooding (limited)	0.91